

Los Angeles Unified School District

Office of Environmental Health and Safety

ALBERTO M. CARVALHO
Superintendent of Schools

CARLOS A. TORRES
Director, Environmental Health and Safety

JENNIFER FLORES
Deputy Director, Environmental Health and Safety

NOTICE OF EXEMPTION

THIS NOTICE WAS POSTED
ON August 22 2025
UNTIL September 22 2025
REGISTRAR – RECORDER/COUNTY CLERK

2025 174713

FILED
Aug 22 2025
Dean C. Logan, Registrar – Recorder/County Clerk
Electronically signed by BYRON PATTON JR

To: County Clerk and Registrar-Recorder
County of Los Angeles
12400 Imperial Highway
Norwalk, CA 90650

From: LA Unified OEHS
333 S. Beaudry Avenue
21st Floor
Los Angeles, CA 90017

Project Title:

Chatsworth High School – New Heating, Ventilation, and Air Conditioning (HVAC) Project

Project Location – Specific:

The Chatsworth High School HVAC Project (Project) will be located on the approximately 40-acre Chatsworth Charter High School Campus (Campus). The Campus is located on 10117 Lurline Avenue in the City of Los Angeles. It is bound by Lemarsh Street to the north, Lurline Avenue to the east, Vintage Street to the south, and De Soto Avenue to the west. The Project will occur on the northeastern portion of the Campus. The Campus is located in an urbanized community primarily consisting of commercial uses, multi-family, and single-family residences.

Project Location – City:

Los Angeles

Project Location – County:

Los Angeles


Description of Nature, Purpose, and Beneficiaries of Project:

The proposed Project at Chatsworth High School (Chatsworth HS or Campus) will replace the existing heating, ventilation, and air conditioning (HVAC) systems with new HVAC Campus-wide (Exhibit A). The existing HVAC infrastructure is outdated and has exceeded its usable service life, leading to inefficiencies and increasing maintenance demands. Planned upgrades include the replacement of air handling units, rooftop units, ductwork, controls, and associated electrical components. The Board of Education (BOE) approved the Project's budget of \$52,527,074 on October 5, 2023.

The Project will be implemented pursuant to all applicable State, federal, and local regulations and all applicable Los Angeles Unified School District (LA Unified or District) specifications, standards, and/or guidelines, including those in compliance with the California Environmental Quality Act (CEQA) and the updated Standard Conditions of Approval for District Construction, Upgrade, and Improvements Projects (SC) as adopted by the Board of Education on December

333 South Beaudry Avenue, 21st Floor, Los Angeles, CA 90017 • Telephone (213) 241-3199 • Fax (213) 241-6816

*Our Mission: To ensure a safe and healthy environment for students to learn, teachers to teach, and employees to work.
Our Vision: To eliminate all environmental health and safety risks at schools.*



2023.¹ LAUSD's SCs, design guidelines, and best management practices are designed to be incorporated into the Project design in order to avoid or limit potential adverse impacts associated with the District's projects. The beneficiaries of this Project are the students, faculty, staff, families, school supporters, and the community at large who may request access to the facilities and grounds of the Campus pursuant to the Civic Center act (CA Ed. Code Sections 38130-38139).²

Name of Public Agency Approving the Project:

Los Angeles Unified School District

Name of Person or Agency Carrying Out Project:

Los Angeles Unified School District

Exempt Status: (check one below)

- ☐ Ministerial [Public Resources Code (PRC) Section 21080(b)(1); CEQA Guidelines Section 15268³]:
- ☐ Declared Emergency [PRC Section 21080(b)(3); CEQA Guidelines Section 15269(a)]:
- ☐ Emergency Project [PRC Section 21080(b)(4); CEQA Guidelines Section 15269(b)(c)]:
- ☒ Categorical Exemption (PRC Section 21084; CEQA Guidelines Sections 15300 - 15333):
 - *CEQA Guidelines Section 15301 – Existing Facilities*
 - *CEQA Guidelines Section 15302 – Replacement or Reconstruction*
- ☐ Statutory Exemption:

Reasons why project is exempt:

Section 15301 Existing Facilities

Class 1 consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features involving negligible or no expansion of use beyond that existing at the time of the lead agency's determination.

The Project will replace the existing HVAC systems with new HVAC systems Campus-wide. Therefore, the Project fulfills the requirements of CEQA Guidelines Section 15301.

Section 15302 Replacement or Reconstruction

Class 2 consists of replacing or reconstructing existing structures and facilities where the new structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity as the structure replaced.

The Project will replace the existing HVAC systems with new HVAC systems Campus-wide. The Project will not increase or alter the current use, function, or capacity of the existing Campus. Therefore, the Project fulfills the requirements of CEQA Guidelines Section 15302.

Section 15300.2 – Exceptions

¹ LA Unified OEHS, "Standard Conditions of Approval for District, Construction, Upgrade, and Improvements Projects," Adopted by the Board of Education of December 12, 2023.

² Los Angeles Unified School District. October 17, 2023. Board of Education Report (File #: Rep-008-23/24). Define and Approve the New Chatsworth Early Education Center Project and Amend the Facilities Services Division Strategic Execution Plan to Incorporate Therein.

³ CEQA Guidelines can be found at California Code of Regulations Title 14, Chapter 3, Section 15000 - Section 15387.



Section 15300.2 of the CEQA Guidelines, Exceptions, provides conditions under which categorical exemptions are inapplicable. Review of the Project indicates that it will not violate any of the exceptions, as described in the following section.

1. *The project will occur in certain specified sensitive environments or locations;*

The Project site is a fully developed Campus within an urbanized area of Los Angeles in the neighborhood of Chatsworth surrounded by residential communities on all sides. The site is not designated as a biologically sensitive location. The nearest significant ecological area (SEA) is the Santa Susana Mountains/Simi Hills SEA located approximately 1.7 miles west of the Project site.⁴ The nearest critical habitat is the Coastal California gnatcatcher habitat located approximately 1.5 miles north of the Project site.^{5,6} As such, the Project will not impact sensitive environments or locations.

2. *Cumulative impacts will be considerable because successive projects of the same type would occur at the same place over time;*

The Campus is an active school site and there will likely be ongoing maintenance activities and minor projects on the Campus to keep the school operational. There are currently no known successive projects of the same type or scale planned for the Campus. As the Project would not result in any lasting impacts once construction of the Project is complete, the Project would not contribute to cumulative impacts when considered with expected successive projects. Therefore, no cumulative impacts will result from the Project and successive projects of the same type and at the same place over time.

3. *There is a reasonable possibility that the activity will have a significant effect on the environment due to unusual circumstances;*

There are no known unusual circumstances that would have a significant effect on the environment. The Project does not include removal of trees. Should the Project be altered to include the removal of trees, LAUSD's Office of Environmental Health & Safety (OEHS) must be notified immediately. District policy requires consultation with an arborist to determine if the trees are a protected native species. All tree trimming and removal conducted on District property is required to adhere to the procedures described in the LAUSD OEHS Tree Trimming and Removal Procedure.⁷ Additionally, written approval from the school principal will be required before any trees can be removed. If tree removal is scheduled to occur between February 1 and August 31, a nesting bird survey would be performed prior to removal activities, per standard condition (SC) of approval SC-BIO-3.⁸

⁴ Los Angeles County Department of Regional Planning, http://gis.planning.lacounty.gov/GIS-NET3_Public/Viewer.html, accessed May 2025.

⁵ United States Fish and Wildlife Service Critical Habitat Portal, <https://ecos.fws.gov/ecp/report/table/critical-habitat.html> accessed May 2025.

⁶ Los Angeles County Department of Regional Planning, http://gis.planning.lacounty.gov/GIS-NET3_Public/Viewer.html, accessed May 2025.

⁷ LAUSD OEHS, "Tree Trimming and Removal Procedure," <https://www.lausd.org/ceqa>

⁸ LAUSD OEHS, "School Upgrade Program Final Subsequent Environmental Impact Report," <https://www.lausd.org/CEQA>, Adopted by the Board of Education on December 12, 2023.



The Project will include minor ground-disturbing activities. These activities are not considered unusual circumstances for the classes of projects under which an exemption is claimed. Nevertheless, consideration must be given to the management of pavement removal and excavated soils associated with earthwork activities for the Project. As the Project involves the removal of pavement, soil sampling and testing for characterization is required prior to demolition and removal of the paving materials. If construction or earthmoving activities require import or export of soils and materials, OEHS must be notified to provide oversight to ensure that these activities are conducted in compliance with the requirements of District Specification 01 4524, relevant provisions of South Coast Air Quality Management District Rule 1466, and other applicable environmental agency rules and requirements.⁹ Furthermore, as set forth in SC-CUL-6, SC-CUL-7, SC-CUL-10, and SC-GEO-2, construction activities must be stopped immediately and OEHS notified upon discovery of subsurface features, such as buried resources (i.e., paleontological resources, archaeological resources), tanks or seepage pits, or stained/odoriferous soils.¹⁰ Lastly, any construction and demolition waste shall be recycled to the maximum extent feasible per SC-USS-1.¹¹ Therefore, the Project will not have a significant effect on the environment due to unusual circumstances.

4. *The project may result in damage to scenic resources, including but not limited to trees, historic buildings, rock outcroppings, or similar resources within a highway officially designated as a state scenic highway;*

The closest designated state scenic highway to the Project site is the Topanga Canyon State Scenic Highway, a 0.5-mile portion of State Route 27 (SR-27), which is located approximately 1 mile west of the Campus.¹² The Project will not result in the removal of historic buildings, rock outcroppings, or other scenic resources. Therefore, the Project will not result in damage to scenic resources or similar resources within a highway officially designated as a state scenic highway.

5. *The project is located on a site which is included on any list compiled pursuant to Section 65962.5 of the Government Code; or*

The Project site is not located on any sites that are included on any list compiled pursuant to Government Code Section 65962.5.¹³ Therefore, the Project will have no impacts related to being located on a hazardous waste site.

6. *The project may cause a substantial adverse change in the significance of a historic resource.*

Chatsworth HS is over 45 years old, meeting LA Unified's threshold for review as a potential historic resource and requiring evaluation for historic eligibility. LA Unified has identified Chatsworth HS as eligible for listing as a historic resource per Section 18955 of the California State Historical Building

⁹ LAUSD OEHS, "Section 01 4524 Environmental Import/Export Materials Testing", http://www.laschools.org/documents/file?file_id=219798234&show_all_versions_p=t

¹⁰ LAUSD OEHS, "School Upgrade Program Final Subsequent Environmental Impact Report," <https://www.lausd.org/CEQA>. Adopted by the Board of Education on December 12, 2023.

¹¹ *Ibid.*

¹² Los Angeles County Department of Regional Planning, http://gis.planning.lacounty.gov/GIS-NET3_Public/Viewer.html, accessed May 2025.

¹³ California Department of Toxic Substances, http://www.dtsc.ca.gov/SiteCleanup/Cortese_List.cfm, accessed May 2025.



Code (CHBC).¹⁴ The scope of the Project is focused on removal and replacement of the existing HVAC system that is not character-defining. The Project will not alter or affect the historic resources on the campus. Therefore, OEHS' Historic Preservation Specialist has determined that the Project will not materially impair the significance of the historic resource and therefore will not cause a substantial adverse historic impact.

Should the scope of the Project activities be altered from the components that are described above, standard District procedure requires that OEHS must be notified immediately to ensure that these activities are conducted in compliance with the Secretary's Standards and would not cause a substantial adverse change in the significance of a historical resource.

Prepared By:

Zulema Renteria
Environmental Planning Specialist

Phone and Email:

(213) 241-3432
zulema.renteria@LAUSD.net

Signed by:

Date:

Carlos A. Torres,
CEQA Officer of the Los Angeles Unified School District

Attachment: Exhibit A – Site Plan

¹⁴ State of California. 2003. State Historical Building Code, Health and Safety Code, Division 13, Part 2.7, Section 18955. Available at: http://www.dgs.ca.gov/dsa/AboutUs/shbsb/shbsb_health_safety.aspx. Also see California Building Standards Commission. 2014. California Code of Regulations, Title 24, California Historical Building Code, Section 8-101.2. Washington, DC. p. 4.

2025 174713




FILED
Aug 22 2025

Dean C. Logna, Registrar - Recorder/County Clerk

Electronically signed by BYRON PATTON JR

EXHIBIT A – SITE PLAN (not to scale)



PROJECT SITES