

Los Angeles Unified School District

Office of Environmental Health and Safety

ALBERTO M. CARVALHO
Superintendent of Schools

CARLOS A. TORRES
Director, Environmental Health and Safety

JENNIFER FLORES
Deputy Director, Environmental Health and Safety

NOTICE OF EXEMPTION

THIS NOTICE WAS POSTED

ON September 04 2025

UNTIL October 06 2025

REGISTRAR – RECORDER/COUNTY CLERK

2025 184157



FILED
Sep 04 2025

Dean C. Logan, Registrar – Recorder/County Clerk

Electronically signed by: GOOD THAM

To:
County Clerk and Registrar-Recorder
County of Los Angeles
12400 Imperial Highway
Norwalk, CA 90650

From:
LA UNIFIED OEHS
333 S. Beaudry Avenue
21st Floor
Los Angeles, CA 90017

Project Title:

Bryson Avenue Elementary School – New Shade Structure

Project Location – Specific:

The Bryson Avenue Elementary School New Shade Structure Project (Project) will be located on the approximately 3.5-acre Bryson Avenue Elementary School campus (Bryson Avenue ES or Campus). The Campus is located at 4470 Missouri Avenue in the City of South Gate. It is bound by Missouri Avenue to the north, Hunt Avenue to the east, Tweedy Boulevard to the south, and Bryson Avenue to the west. The Campus is located in an urbanized community primarily consisting of commercial uses, multi-family, and single-family residences.

Project Location – City:

South Gate

Project Location – County:

Los Angeles

Description of Nature, Purpose, and Beneficiaries of Project:

The Project will install a new permanent 30'L x 20'W x 10'H shade structure on the existing playground as well as provide minor path of travel upgrades at the Campus (Exhibit A). The footings would be set at a depth between 3 to 8 feet. The Board of Education approved the Project's budget of \$330,726 on November 19, 2024.

The Project will be implemented pursuant to all applicable State, federal, and local regulations and all applicable Los Angeles Unified School District (LAUSD) specifications, standards, and/or guidelines, including those in compliance with the California Environmental Quality Act (CEQA) and the updated Standard Conditions of Approval for District Construction, Upgrade, and Improvements Projects (SC) as adopted by the Board of Education on December 12, 2023.¹ LAUSD's SCs, design guidelines, and best management practices are designed to be incorporated into the Project design in order to avoid or limit potential adverse impacts associated with the District's projects.

¹ LAUSD OEHS, "Standard Conditions of Approval for District Construction, Upgrade, and Improvement Projects (SCs)" https://www.lausd.org/cms/lib/CA01000043/Centricity/domain/135/ceqa/2023_Standard_Conditions_UPDATE_Final.pdf

333 South Beaudry Avenue, 21st Floor, Los Angeles, CA 90017 • Telephone (213) 241-3199 • Fax (213) 241-6816

Our Mission: To ensure a safe and healthy environment for students to learn, teachers to teach, and employees to work.
Our Vision: To eliminate all environmental health and safety risks at schools.

2025 184157



FILED

Sep 04 2025

Dean C. Logan, Registrar - Recorder/County Clerk

Electronically signed by TODD TRAN

The beneficiaries of the Project include Bryson Avenue ES students, faculty, staff, families, school supporters, and the community at large who may request access to the Campus pursuant to the Civic Center Act (CA Ed. Code Sections 38130 - 38139).

Name of Public Agency Approving the Project:

Los Angeles Unified School District

Name of Person or Agency Carrying Out Project:

Los Angeles Unified School District

Exempt Status: (check one below)

- ☐ Ministerial [Public Resources Code (PRC) Section 21080(b)(1); CEQA Guidelines Section 15268²]:
- ☐ Declared Emergency [PRC Section 21080(b)(3); CEQA Guidelines Section 15269(a)]:
- ☐ Emergency Project [PRC Section 21080(b)(4); CEQA Guidelines Section 15269(b)(c)]:
- ☒ Categorical Exemption (PRC Section 21084; CEQA Guidelines Sections 15300 - 15333):
- *CEQA Guidelines Section 15301 – Existing Facilities*
 - *CEQA Guidelines Section 15303 – New Construction or Conversion of Small Structures*
 - *CEQA Guidelines Section 15304 – Minor Alterations to Land*
 - *CEQA Guidelines Section 15311 – Accessory Structures*
- ☐ Statutory Exemption:

Reasons why project is exempt:

Section 15301 - Existing Facilities

Class 1 consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features involving negligible or no expansion of use beyond that existing at the time of the lead agency's determination.

The Project will result in the installation of a new shade structure on the existing play yard. The new shade structure will address unmet Campus needs and provide students with a safe and healthy learning environment. The installation of the new shade structures will not present a new or expanded use of the Campus. Therefore, the Project fulfills the requirements of CEQA Guidelines Section 15301.

Section 15303 - New Construction or Conversion of Small Structures

Class 3 consists of replacing or reconstructing existing structures and facilities where the new structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity as the structure replaced.

The Project will result in the installation of a new shade structure on the existing play yard. The new shade structure will address unmet campus needs and provide students with a safe and healthy learning environment. Installation of the new shade structure will not result in an increase or alteration of the current use, function, or capacity of the existing Campus. Therefore, the Project fulfills the requirements of CEQA Guidelines Section 15303.

Section 15304 – Minor Alterations

² CEQA Guidelines can be found at California Code of Regulations Title 14, Chapter 3, Section 15000 - Section 15387.



FILED

Sep 04 2025

Dora C. Logan, Registrar-Recorder/County Clerk

Electronically signed by TODD TRAN

Class 4 consists of minor public or private alterations in the condition of land, water, and/or vegetation which do not involve removal of healthy, mature, scenic trees except for forestry or agricultural purposes.

The Project will include installation of a shade structure that involves minimal land disturbance. Installation will not involve major grading, excavation, or other significant alterations to land. Installation of the new shade structures will not result in an increase or alteration of the current use, function, or capacity of the existing Campus. Therefore, the Project fulfills the requirements of CEQA Guidelines Section 15304.

Section 15311 – Accessory Structures

Class 11 consists of construction or replacement of minor structures accessory to (appurtenant to) existing commercial, industrial, or institutional facilities, including, but not limited to, on-premises signs and small parking lots.

The Project will include installation of new shade structure on the existing play yard. The new shade structure is consistent with the existing use of the Project area and will enhance playground experience and support the primary educational and recreational use of the site. The Project will serve as supplementary facilities to enhance the functionality of the existing playground. Therefore, the Project fulfills the requirements of CEQA Guidelines Section 15311.

Section 15300.2 – Exceptions

Section 15300.2 of the CEQA Guidelines, Exceptions, provides conditions under which categorical exemptions are inapplicable. Review of the Project indicates that they would not violate any of the exceptions, as described below.

1. *The project would occur in certain specified sensitive environments or locations;*

The Project will occur on an existing campus that is located within an urbanized setting. The surrounding uses of the Campus are residential uses to the north, east and west and commercial uses to the south. The site is not designated as a biologically sensitive location. The nearest significant ecological area (SEA) is the Puente Hills which are located approximately 10.4 miles northeast of the Campus.³ The nearest critical habitat is designated as such for the Coastal California Gnatcatcher and is located approximately 10.1 miles northeast of the site.⁴ As such, the Project will not impact sensitive environments or locations.

2. *Cumulative impacts would be considerable because successive projects of the same type would occur at the same place over time;*

The Campus is an active school site and there will likely be ongoing maintenance activities and minor projects on the Campus to keep the school operational. There are currently no known successive projects of the same type or scale planned for the Campus. As the Project would not result in any lasting impacts once construction of the Project is complete, the Project would not contribute to cumulative impacts when considered with expected successive projects. Therefore, no cumulative impacts will result from the Project and successive projects of the same type and at the same place over time.

3. *There is a reasonable possibility that the activity would have a significant effect on the environment due to unusual circumstances.*

³ Los Angeles County Department of Regional Planning, http://gis.planning.lacounty.gov/GIS-NET3_Public/Viewer.html, accessed July 2025.

⁴ United States Fish and Wildlife Service Critical Habitat Portal, <https://ecos.fws.gov/ecp/report/table/critical-habitat.html> accessed July 2025.



FILED

Sep 04 2025

Dean C. Logan, Registrar - Recorder/County Clerk

Electronically signed by TUDU TRAN

There are no known unusual circumstances that would have a significant effect on the environment. The removal of trees is not anticipated as part of the proposed scope of work. However, should the Project be altered to include the removal of trees, the District's Office of Environmental Health & Safety (OEHS) must be notified immediately. District policy requires consultation with an arborist to determine if the trees are a protected native species. All tree trimming and removal conducted on District property is required to adhere to the procedures described in the LA Unified OEHS Tree Trimming and Removal Procedure.⁵ Additionally, written approval from the school principal will be required before any trees can be removed. If tree removal is scheduled to occur between February 1 and August 31, a nesting bird survey would be performed prior to removal activities, per SC-BIO-3.

The Project will include minor ground-disturbing activities. These activities are not considered unusual circumstances for the classes of projects under which an exemption is claimed. Nevertheless, consideration must be given to the management of pavement removal and excavated soils associated with earthwork activities for the Project. As the Project involves the removal of pavement, soil sampling and testing for characterization is required prior to demolition and removal of the paving materials. If construction or earthmoving activities require import or export of soils and materials, OEHS must be notified to provide oversight to ensure that these activities are conducted in compliance with the requirements of District Specification 01 4524, relevant provisions of South Coast Air Quality Management District Rule 1466, and other applicable environmental agency rules and requirements.⁶ Furthermore, as set forth in SC-CUL-6, SC-CUL-7, SC-CUL-10, and SC-CUL-11, construction activities must be stopped immediately and OEHS notified upon discovery of subsurface features, such as buried resources (i.e., paleontological resources, archaeological resources), tanks or seepage pits, or stained/odoriferous soils. Lastly, any construction and demolition waste shall be recycled to the maximum extent feasible per SC-USS-1. Therefore, the Project will not have a significant effect on the environment due to unusual circumstances.

4. *The project may result in damage to scenic resources, including but not limited to trees, historic buildings, rock outcroppings, or similar resources within a highway officially designated as a state scenic highway;*

The closest designated state scenic highway to the Project site is the Topanga Canyon State Scenic Highway, a 2.5-mile portion of State Route 27 (SR-27), which is located approximately 19.5 miles north of the Campus.⁷ The Project will not result in the removal of historic buildings, rock outcroppings, or other scenic resources. Therefore, the Project will not result in damage to scenic resources or similar resources within a highway officially designated as a state scenic highway.

5. *The project is located on a site which is included on any list compiled pursuant to Section 65962.5 of the Government Code; or*

The Project will occur on an existing school campus which is not included on any list compiled pursuant to Section 65962.5 of the Government Code.⁸ Therefore, the Project will not have an impact related to being located on a hazardous waste site.

6. *The project may cause a substantial adverse change in the significance of a historical resource.*

⁵ LAUSD OEHS, "Tree Trimming and Removal Procedure," <https://www.lausd.org/ceqa>

⁶ LAUSD OEHS, "Section 01 4524 Environmental Import/Export Materials Testing",

http://www.laschools.org/documents/file?file_id=219798234&show_all_versions_p=t

⁷ Los Angeles County Department of Regional Planning, http://gis.planning.lacounty.gov/GIS-NET3_Public/Viewer.html, accessed July 2025.

⁸ California Department of Toxic Substances, http://www.dtsc.ca.gov/SiteCleanup/Cortese_List.cfm, accessed July 2025.

2025 184157



FILED

Sep 04 2025

Dean C. Logan, Registrar - Recorder/County Clerk

Electronically signed by TODD TRAN

LA Unified has surveyed the Bryson ES campus for potentially eligible historical resources and found the Main Building individually eligible for listing on the California Register of Historical Resources per Section 18955 of the California State Historical Building Code (CHBC).⁹ The scope of the Project was reviewed by LA Unified's Historic Preservation Specialist to ensure it will not materially impair the significance of the potentially eligible historic resource and will not result in a substantial adverse historic impact. The Historic Preservation Specialist determined that the Project will affect a non-contributing playground area and will have no physical or visual impact on the potentially eligible Main Building. Therefore, the Project will not cause a substantial adverse impact on an eligible historical resource.

Should the scope of the Project activities be altered from the components that are described above, standard District procedure requires that OEHS must be notified immediately to ensure that these activities are conducted in compliance with the Secretary of the Interior's Standards for Rehabilitation and would not cause a substantial adverse change in the significance of a historical resource.

Prepared By:

Phone and Email:

Zulema Renteria
Environmental Planning Specialist

(213) 241-3432
zulema.renteria@LAUSD.net

Signed by:

Date:

8/18/25

Carlos A. Torres,
CEQA Officer of the Los Angeles Unified School District

⁹ State of California. 2003. State Historical Building Code, Health and Safety Code, Division 13, Part 2.7, Section 18955. Available at: http://www.dgs.ca.gov/dsa/AboutUs/shbsb/shbsb_health_safety.aspx. Also see California Building Standards Commission. 2014. California Code of Regulations, Title 24, California Historical Building Code, Section 8-101.2. Washington, DC. p. 4.



9 780130 352373

FILED
Sep 04 2025

Dean C. Logan, Registrar-Recorder/County Clerk

Electronically signed by TODD TRAN

 **PROJECT SITE**