


Scan results for www.eaton.k12.co.us

 **Compliant**

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.

 **accessWidget** is detected on the website


Thank you for making your website accessible and inclusive for all users with  **accessiBe**



Congratulations!
Your website is among the **3%** of inclusive and accessible websites globally. Well done!

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	6	0	100

Successful Elements

```
<a class="VIpgJd-ZVi9od-xl070b-lTBxed " href="#" data-custom-button-processed="true" aria-expanded="false" role="button"><span style=";background-color:#ffffff!important;color:#000000!important;">Select Language</span> <span data-="true" " data--position="before" aria-hidden="false" >menu</span><span class="hamburger ...
```

```
<div class="today-btn-container " tabindex="0" role="button" data-acsb-textual-ops="remove"> <span data-="true" " data--position="before" aria-hidden="false" >Remove</span><svg version="1.1" viewBox="0 0 18 18" width="1em" xmlns="http://www ...
```

```
<span class="left-arrow-container " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="color"> <span data-="true" " data--position="before" aria-hidden="false" >Color ...
```

```
<span class="right-arrow-container " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="color"> <span data-="true" " data--position="before" aria-hidden="false" >Color ...
```

```
<a class="u_1564575980 default align-center dmCall voipReplacement dmWidget dmNomark dmWwr acsb-bg-image " contenteditable="false" onclick=";return dm_gaq_push_event('ClickToCall', 'Call',null,'82a0be5d', this);" id="1564575980" dmle_extension="click ...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	6	0	100
---	---	-----	---	---	-----

Successful Elements

```
<a class="VIpgJd-ZVi9od-xl070b-lTBxed " href="#" data-custom-button-processed="true" aria-expanded="false" role="button"><span style=";background-color:#ffffff!important;color:#000000!important;">Select Language</span> <span data-="true" " data--position="before" aria-hidden="false" >menu</span><span class="hamburger ...
```

```
<div class="today-btn-container " tabindex="0" role="button" data-acsb-textual-ops="remove"> <span data--="true" " data--position="before" aria-hidden="false" >Remove</span><svg version="1.1" viewBox="0 0 18 18" width="1em" xmlns="http://www ...
```

```
<span class="left-arrow-container " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="color"> <span data--="true" " data--position="before" aria-hidden="false" >Color ...
```

```
<span class="right-arrow-container " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="color"> <span data--="true" " data--position="before" aria-hidden="false" >Color ...
```

```
<a class="u_1564575980 default align-center dmCall voipReplacement dmWidget dmNoMark dmWwr acsb-bg-image " contenteditable="false" onclick=";return dm_gaq_push_event('ClickToCall', 'Call',null,'82a0be5d', this);" id="1564575980" dmle_extension="clie ...
```

- 3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

40

0

100

Successful Elements

```
<a href="/" id="1460886528" data-custom-button-processed="true"><a href="/" runtime_url="/" type="page" class="font-size-60 m-font-size-48" style="undefined;font-weight:bold;display:initial;font-family:Helvetica, 'Helvetica Fallback';b ...
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	11	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	
---	--	----	---	---	--

14 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. No 0 0

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. Yes 1 1 50

Successful Elements

```
<nav class="u_1903426624 effect-border main-navigation unifiednav dmLinksMenu " layout-main="horizontal_nav_layout_6" layout-sub="submenu_horizontal_1" data-show-vertical-sub-items="HOVER" id="1903426624" dmle_extension="onelinksmenu" data-element-ty ...
```

Failed Elements

```
<div class="u_1367094239 dmNewParagraph GINGER_SOFTWARE_control" id="1367094239" spellcheck="false" ginger_software_editor="true" background-image:""}=" data-version="5"><p class="text-align-center m-size-11 size-14" style="line-height: 2;" data-a ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". Yes 8 0 100

Successful Elements

```
<a href="/" class="unifiednav__item dmUDNavigationItem_00 unifiednav__item_has-sub-nav currentPage dmNavItemSelected" target="" data-target-page-alias="" data-auto="selected-page" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-me ...
```

```
<a href="/parents" class="unifiednav__item dmUDNavigationItem_010101957800 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true ...
```

```
<a href="/eatonhighschool" class="unifiednav__item dmUDNavigationItem_010101836339 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup ...
```

```
<a href="/eaton-middle-school" class="unifiednav__item dmUDNavigationItem_010101804722 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup ...
```

```
<a href="/benjamin-eaton-elementary" class="unifiednav__item dmUDNavigationItem_010101512870 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" ...
```

```
<a href="/eaton-elementary" class="unifiednav__item dmUDNavigationItem_0101018938 31 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-h aspo ...
```

```
<a href="/galeton-elementary" class="unifiednav__item dmUDNavigationItem_01010159 2630 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custo m-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria -has ...
```

```
<a href="/staff-resources" class="unifiednav__item dmUDNavigationItem_01010122229 5 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-b utton-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-ha spop ...
```

17

Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

Yes

8

0

100

Successful Elements

```
<a href="/" class="unifiednav__item dmUDNavigationItem_00 unifiednav__item_has-su b-nav currentPage dmNavItemSelected" target="" data-target-page-alias="" data-aut o="selected-page" data-custom-button-processed="true" data-acsb-menu="a" data-acsb -me ...
```

```
<a href="/parents" class="unifiednav__item dmUDNavigationItem_010101957800 unifie dnav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-pr ocessed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup ="true ...
```

```
<a href="/eatonhighschool" class="unifiednav__item dmUDNavigationItem_01010183633 9 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-b utton-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-ha spop ...
```

```
<a href="/eaton-middle-school" class="unifiednav__item dmUDNavigationItem_0101018 04722 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-cust om-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" ari a-ha ...
```

```
<a href="/benjamin-eaton-elementary" class="unifiednav__item dmUDNavigationItem_0 10101512870 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" dat a-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="tru e" a ...
```

```
<a href="/eaton-elementary" class="unifiednav__item dmUDNavigationItem_0101018938 31 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-h aspo ...
```

```
<a href="/galeton-elementary" class="unifiednav__item dmUDNavigationItem_010101592630 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

```
<a href="/staff-resources" class="unifiednav__item dmUDNavigationItem_010101222295 unifiednav__item_has-sub-nav" target="" data-target-page-alias="" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. 3 0 100

Successful Elements

```
</span>
```

```
<span class="icon icon-angle-right" ></span>
```

```
<span class="icon icon-angle-right" style="background-color:#ffffff!important;color:#000000!important;" ></span>
```

```
<span class="icon icon-angle-right" data-hidden-on-mobile="" data-hidden-on-desk  
top="" data-hidden-on-tablet="" ></span>
```

```
<span class="icon icon-angle-down" ></span>
```

```
<span single-space="true" class="font-size-14 m-font-size-11" style="undefined;di  
splay:initial;font-family:Helvetica, 'Helvetica Fallback'" data-acsb-original-styl  
e="color:rgb(176, 28, 43);display:initial;font-family:Helvetica, 'Helvetica Fall  
back';" ...
```

```
<span class="font-size-14 m-font-size-11" style="undefined;display:initial;font-f  
amily:Helvetica, 'Helvetica Fallback'" aria-hidden="true" data-acsb-original-styl  
e="color:rgb(176, 28, 43);display:initial;font-family:Helvetica, 'Helvetica Fallb  
ack';" ...
```

```
<span style="display: initial;" aria-hidden="true" data-acsb-original-style="disp  
lay: initial;" ><br ></span>
```

```
<span class="icon icon-angle-down " style=";background-color:#ffffff!important;co  
lor:#000000!important;"></span>
```

```
<span class="icon icon-angle-down" aria-hidden="true" ></span>
```

Failed Elements

```
<span class="hamburger__slice"></span>
```

```
<span class="font-size-14 m-font-size-11" style="undefined;font-weight:bold;displ  
ay:initial;font-family:Helvetica, 'Helvetica Fallback'" data-acsb-original-style  
="color:rgb(176, 28, 43);font-weight:bold;display:initial;font-family:Helvetica,  
'Helveti ...
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0

25 Form elements cannot have the same ID, or else their No 0 0
corresponding label will provide false information.

26 Required form fields should include an "aria-required" No 0 0
attribute that equals to "true" so blind users using
screen-readers know their validation.

27 The validity status of every form element must be No 0 0
represented in the code at all times using the "aria-
invalid" attributes and the "true/false" values, and
change dynamically when the status changes.

28 aria-describedby and aria-labeledby attributes should No 0 0
be connected by ID to an element that either has text
description or an "aria-label" attribute.

29 All forms should have a submission button that is built No 0 0
as an input type "submit" or a "button" element, or
include a "role" tag that equals to "button". Buttons can
be hidden if the form can be submitted using the
Enter key.

30 Search forms should include a "role" tag that equals to No 0 0
"search" (or be wrapped by one) to indicate a search
landmark for screen-readers.

31 The title tag of the HEAD section (also the title that Yes Pass - 100
appears in the browser tab and Search Engine result
pages) should exist and describe the name of the
current webpage for screen-reader users.

Successful Elements

```
<title> Eaton School District - Eaton, Colorado </title>
```

32 The HTML tag should include a "lang" attribute that Yes Pass - 100
represents the main language of the webpage so
screen-readers can calibrate on it for blind users.

Successful Elements

```
<html xmlns="http://www.w3.org/1999/xhtml" class="pointer skrollr skrollr-desktop  
acsb-light-contrast" style="height: 100%; --acsb-keynav:3px;" data-acsb-m-menu="l  
i" id="acsb-light-contrast" lang="en"><head> ...
```

33 The meta viewport tag should allow vision impaired Yes Pass - 100
users to pinch-zoom at least double the standard
scaling using the user-scalable="yes" and maximum-
scale={2 or higher} content strings.

Successful Elements

```
<meta id="view" name="viewport" content="initial-scale=1, minimum-scale=1, maximum-scale=5, viewport-fit=cover">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100
----	---	-----	---	---	-----

Successful Elements

```
<div class="u_1082246102 dmNewParagraph" data-element-type="paragraph" data-version="5" id="1082246102" data-styletopreserve="{\"background-image\":\"\"}=" data-acsb-main="true" role="main"> <h1 class="text-align-center m-size-48 size-60" role="heading">
```

```
<div class="dmFooterContainer" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div id="fcontainer" class="u_fcontainer f_hcontainer dmFooter_p_hfcontainer" style=";background-color:#ffffff!important;color:#000000!important;"> < ...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	88	0	100
----	--	-----	----	---	-----

Successful Elements

```
<span style=";background-color:#ffffff!important;color:#000000!important;">Select Language</span>
```

```
<span style="undefined;background-color:#ffffff!important" data-acsb-original-style="color: rgb(118, 118, 118);" acsb-original-style="color: rgb(118, 118, 118);">▼</span>
```

```
<span style="undefined;display:initial;font-family:Helvetica, 'Helvetica Fallback'" data-acsb-original-style="color:rgb(0, 0, 0);display:initial;font-family:Helvetica, 'Helvetica Fallback'" acsb-original-style="color:rgb(0, 0, 0);display:initial;fo ...
```

```
<span class="m-font-size-14 " style="undefined;font-weight:bold;display:initial;font-family:Helvetica, 'Helvetica Fallback'" data-acsb-original-style="color:rgb(0, 0, 0);font-weight:bold;display:initial;font-family:Helvetica, 'Helvetica Fallback';" a ...
```

```
<a href="/enrollment" runtime_url="/enrollment" type="page" class="font-size-14 m-font-size-11 " style="undefined;font-weight:bold;display:initial;font-family:Helvetica, 'Helvetica Fallback';background-color:#ffffff!important" data-custom-button-on-p ...
```

```
<span class="font-size-14 m-font-size-11 " style="undefined;font-weight:bold;display:initial;font-family:Helvetica, 'Helvetica Fallback'" data-acsb-original-style="color:rgb(176, 28, 43);font-weight:bold;display:initial;font-family:Helvetica, 'Helvet ...
```

```
<span class="nav-item-text " data-link-text=" District " data-auto="page-text-style" style=";background-color:#ffffff!important;color:#000000!important;">District<span class="icon icon-angle-down " style=";background-color:#ffffff!im ...
```

```
<span class="nav-item-text " data-link-text=" Parents " data-auto="page-text-style" style=";background-color:#ffffff!important;color:#000000!important;">Parents<span class="icon icon-angle-down " style=";background-color:#ffffff!impo ...
```

```
<span class="nav-item-text " data-link-text=" Eaton High School " data-auto="page-text-style" style=";background-color:#ffffff!important;color:#000000!important;">Eaton High School<span class="icon icon-angle-down " style=";backgroun ...
```

```
<span class="nav-item-text " data-link-text=" Eaton Middle School " data-auto="page-text-style" style=";background-color:#ffffff!important;color:#000000!important;">Eaton Middle School<span class="icon icon-angle-down " style=";backg ...
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	2	0
----	---	----	---	---	---

Failed Elements

```
<a class="flex-prev " href="" tabindex="-1" aria-hidden="true" data-custom-button-processed="true" ></a>
```

```
<a class="flex-next " href="" tabindex="-1" aria-hidden="true" data-custom-button-processed="true" ></a>
```

40	A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100

Successful Elements

```
<iframe name="f0030ae0205eb9874" width="1000px" height="500px" data-testid="fb:page Facebook Social Plugin" frameborder="0" allowtransparency="true" allowfullscreen="true" scrolling="no" allow="encrypted-media" src="https://www.facebook.com/v2.7/plug ...
```

```
<iframe src="https://calendar.google.com/calendar/embed?title=Eaton%20District%20C%20Athletics%20%26%20Activities%20Calendar&showTitle=0&showNav=0&showDate=0&showPrint=0&showTabs=0&showTz=0&mode=AGENDA&height=300&wk ...
```